







Ministry of Higher Education and scientific Research University of Shendi

Faculty of Graduate Studies and Scientific Research

Evaluation of Changes in Hematological Parameters and Iron Profile among School Children with Schistosoma Heamatobuim in Shendi Locality

A thesis Submitted to Shendi University for partial fulfillment of the MSC .Degree in Haematology

By:

Ebtehag Alshafee Alhassan Saad

Bsc. (Shendi University – 2006)

Supervisor

Dr: Mohammed Osman Ali Mohammed (PhD)

Associate professor of Haematology-Faculty of Medical Laboratory Sciences-Shendi University

September – 2018

الآيـة

بسم الله الرحمن الرحيم

قال تعالى:

﴿ وَعَلَّمَ آدَمَ الأَسْمَاءَ كُلَّهَا ثُمَّ عَرَضَهُمْ عَلَى الْمَلاَئِكَةِ فَقَالَ أَنبِئُونِي بِأَسْمَاء هَــؤُلاء إِن كُنتُمْ صَادِقِينَ (٣١) قَالُواْ سُبْحَانَكَ لاَ عِلْمَ لَنَا إِلاَّ مَا عَلَّمْتَنَا إِنَّكَ أَنتَ الْعَلِيمُ الْحَكِيمُ (٣٢)

الآيات (٣١ - ٣٢) من سورة البقرة



Dedication

Acknowledgements

First I would like to thank Allah for blessing me

I would like to express my immense gratitude and appreciation to my supervisor **Dr. Mohammed Osman Ali** for this help full suggestion and close supervision through the study.

I am deeply indebted to the staff of faculty of Shendi University and especially to the staff of hematology department.

And finally all our thanks to everyone who supported and helped me through the study.

Abbreviations

Abbreviation	Mean
TIBC	Total iron binding capacity
НВ	Hemoglobin
НСТ	Hematocrit
MCV	Mean cell volume
MCH	Mean cell hemoglobin
MCHC	Mean cell hemoglobin cell
RDW-CV	Red cell distribution width coefficient variation
RDW-SD	Red cell distribution width standard deviation
PLT	Platelets
MPV	Mean platelets volume
PDW	Platelets distribution width
PCT	Plateletcrit
TWBCS	Total white blood cells
LYMPH	Lymphocytes
MID	Middle
GRAN	Granulocyte
EDTA	Ethylene diamine tetra acetic acid
SPSS	Statistical Package for The Social Sciences

ملخص البحث

أجريت هذه الدراسة الوصفية المقطعية التحليلية في مدينة شندي في الفترة من ابريل إلى سبتمبر عام ٢٠١٨م لتقييم التغيرات التي تحدث في قياس الدم الكامل ومستوى معاملات الحديد عند أطفال المدارس المصابين بالبلهارسيا البولية. في هذه الدراسة جمعت ٦٠ عينة بول ودم وريدي من تلاميذ المدارس في بعض قرى ريفي جنوب مدينة شندي. أعمارهم (١٢ - ١٥) سنة. تم فحص البول لكشف وجود بيض البلهارسيا البولية باستخدام تقنية الطرد المركزي. وأخذت ٢٠٥ مل من الدم الوريدي على مضاد التجلط EDTA لقياس الدم الكامل وأخذت ٢٠٥ مل في حاوية فارغة لتحضير المصل لفحص معاملات الحديد.

نتائج هذه الدراسة كشفت أن متوسط الهيموغلوبين والهيماتوكريت ومتوسط حجم الخلية تدل علي أن قيمة الاختلاف ذات أهمية وهي (008,003,001) علي التوالي. بينما المعاملات الأخرى ليست ذات اختلاف مهم وأيضا معاملات الحديد (حديد المصل,مجموع الحديد المرتبط وفريتيين المصل) كشفت علي أن الاختلاف ليس ذات أهمية (٢,٠,٠,٠,٠,٠) علي التوالي. أخيرا نستنتج أن البلهارسيا البولية تتسبب في تغيير بعض معاملات الدم.

Abstract

This prospective descriptive cross sectional study was carried out in Shendi locality during the period of April to September 2018 to evaluate the changes in complete blood count (CBC) parameters and iron profile in School children infected with schistosoma heamatobuim.

A total 60 venous blood and urine samples were collected from school children from some villages which is located in south of shendi city, with age of (12-15) years. Urine samples were tested for schistosoma heamatobuim ova, 2.5 ml of venous blood sample was taken in EDTA anticoagulant for complete blood counting and 2.5 ml in plain container to prepare serum for iron profile measurement.

The results of current study revealed that the mean of (Hb), hematocrit (HCT) and mean cell volume (MCV) show significant variation with p value of (.008,.003, .001) respectively, while other haematological parameters with no significant. Also iron profile (serum iron, TIBC and serum ferritin) revealed no significant variation with p value of (0.2, 0.5, 0.8) respectively.

Finally we conclude that schistosoma infection can cause changes in some haematological parameter.

Contents

No	Subject	Page No
	الآية	I
	Dedication	II
	Acknowledgement	III
	List of Abbreviations	IV
	Abstract in Arabic	V
	Abstract in English	VI
	List of contents	VII
	List of tables	IX
	Chapter one	
1.1	Introduction	1
1.2	Rational	4
1.3	Objectives	5
	Chapter two	
2	Literature Review	6
2.1	Schistosomiasis	6
2.1.1	Epidemiology of schistosomiasis	6
2.1.2	History of Discovery of schistosomiasis	7
2.1.3	Classification and Taxonomy of schistosomiasis	7
2.1.4	Transmission of schistosomiasis	8
2.1.5	Reservoir of schistosomiasis	8
2.1.6	Vector of schistosomiasis	8
2.1.8	Incubation Periods of schistosomiasis	9
2.1.9	Diagnostic Tests of schistosomiasis	9
2.1.10	Management and Therapy of schistosomiasis	10
2.2	Characteristics of blood	10
2.2.1	Erythropoiesis	11
2.2.2	Hemoglobin	11
2.2.3	The red blood cells	12
2.2.4	Granulopoiesis	12
2.2.5	Lymphatic tissues and immune response	15
2.2.6	Megakaryopoiesis	15
2.3	A complete blood count	16
2.3.1	Automated blood count	16
2.3.2	Manual blood count	17
2.4	The iron	18

2.4.1	Iron metabolism	18
2.5	Previous studies	21
	Chapter three	
3.1	Materials and methods	23
3.1.1	Study Design	23
3.1.2	Study area	23
3.1.3	Study population	23
3.1.4	Inclusion Criteria	23
3.1.5	Exclusion Criteria	24
3.1.6	Specimen	24
3.1.7	Data Analysis	24
3.1.8	Ethical Consideration:	24
3.2	Laboratory investigations	24
3.2.1	Urine examination	24
3.2.1.1	Macroscopically examination	24
3.2.1.2	Microscopic examination of urine allows a rapid	24
	preliminary	
3.2.2	Blood examination	25
3.2.2.1	Mindray haematology CBC was down by using analyzer (Mindray bc- 3000)	25
3.2.2.2	Iron profile examinations	25
3.2.2.3	Spectrophotometric determination of iron	25
3.2.2.3.1	Materials	25
3.2.2.3.2.	Methods	26
	Chapter four	
4	Results	29
	Chapter five	<u>"</u>
5.1	Discussion	32
5.2	Conclusion	33
5.3	Recommendations	34
	Chapter Six	H.
	References	35
	Appendix	40

List of tables

No of table	Title	Page No
(4-1)	Distribution sample size	30
(4-2)	Comparison between test group, control group and p.value of RBCs parameters	30
(4-3)	Comparison between test group, control group and p. value of WBCs parameters	31
(4-4)	Comparison between test group, control group and p.value of PLT parameters	31
(4-5)	Comparison between test group, control group and p.value of iron profile parameters	31

الآيـة

بسم الله الرحمن الرحيم

قال تعالى:

﴿ وَعَلَّمَ آدَمَ الأَسْمَاءَ كُلَّهَا ثُمَّ عَرَضَهُمْ عَلَى الْمَلاَئِكَةِ فَقَالَ أَنبِئُونِي بِأَسْمَاء هَــؤُلاء إِن كُنتُمْ صَادِقِينَ (٣١) قَالُواْ سُبْحَانَكَ لاَ عِلْمَ لَنَا إِلاَّ مَا عَلَّمْتَنَا إِنَّكَ أَنتَ الْعَلِيمُ الْحَكِيمُ (٣٢)

الآيات (٣١ - ٣٢) من سورة البقرة



Dedication

Acknowledgements

First I would like to thank Allah for blessing me

I would like to express my immense gratitude and appreciation to my supervisor **Dr. Mohammed Osman Ali** for this help full suggestion and close supervision through the study.

I am deeply indebted to the staff of faculty of Shendi University and especially to the staff of hematology department.

And finally all our thanks to everyone who supported and helped me through the study.

Abbreviations

Abbreviation	Mean
TIBC	Total iron binding capacity
НВ	Hemoglobin
НСТ	Hematocrit
MCV	Mean cell volume
MCH	Mean cell hemoglobin
MCHC	Mean cell hemoglobin cell
RDW-CV	Red cell distribution width coefficient variation
RDW-SD	Red cell distribution width standard deviation
PLT	Platelets
MPV	Mean platelets volume
PDW	Platelets distribution width
PCT	Plateletcrit
TWBCS	Total white blood cells
LYMPH	Lymphocytes
MID	Middle
GRAN	Granulocyte
EDTA	Ethylene diamine tetra acetic acid
SPSS	Statistical Package for The Social Sciences

ملخص البحث

أجريت هذه الدراسة الوصفية المقطعية التحليلية في مدينة شندي في الفترة من ابريل إلى سبتمبر عام ٢٠١٨م لتقييم التغيرات التي تحدث في قياس الدم الكامل ومستوى معاملات الحديد عند أطفال المدارس المصابين بالبلهارسيا البولية. في هذه الدراسة جمعت ٦٠ عينة بول ودم وريدي من تلاميذ المدارس في بعض قرى ريفي جنوب مدينة شندي. أعمارهم (١٢ - ١٥) سنة. تم فحص البول لكشف وجود بيض البلهارسيا البولية باستخدام تقنية الطرد المركزي. وأخذت ٢٠٥ مل من الدم الوريدي على مضاد التجلط EDTA لقياس الدم الكامل وأخذت ٢٠٥ مل في حاوية فارغة لتحضير المصل لفحص معاملات الحديد.

نتائج هذه الدراسة كشفت أن متوسط الهيموغلوبين والهيماتوكريت ومتوسط حجم الخلية تدل علي أن قيمة الاختلاف ذات أهمية وهي (008,003,001) علي التوالي. بينما المعاملات الأخرى ليست ذات اختلاف مهم وأيضا معاملات الحديد (حديد المصل,مجموع الحديد المرتبط وفريتيين المصل) كشفت علي أن الاختلاف ليس ذات أهمية (٠,٠,٠,٠,٠,٠) علي التوالي. أخيرا نستنج أن البلهارسيا البولية تتسبب في تغيير بعض معاملات الدم.

Abstract

This prospective descriptive cross sectional study was carried out in Shendi locality during the period of April to September 2018 to evaluate the changes in complete blood count (CBC) parameters and iron profile in School children infected with schistosoma heamatobuim.

A total 60 venous blood and urine samples were collected from school children from some villages which is located in south of shendi city, with age of (12-15) years. Urine samples were tested for schistosoma heamatobuim ova, 2.5 ml of venous blood sample was taken in EDTA anticoagulant for complete blood counting and 2.5 ml in plain container to prepare serum for iron profile measurement.

The results of current study revealed that the mean of (Hb), hematocrit (HCT) and mean cell volume (MCV) show significant variation with p value of (.008,.003, .001) respectively, while other haematological parameters with no significant. Also iron profile (serum iron, TIBC and serum ferritin) revealed no significant variation with p value of (0.2, 0.5, 0.8) respectively.

Finally we conclude that schistosoma infection can cause changes in some haematological parameter.

Contents

No	Subject	Page No
	الآية	I
	Dedication	II
	Acknowledgement	III
	List of Abbreviations	IV
	Abstract in Arabic	V
	Abstract in English	VI
	List of contents	VII
	List of tables	IX
	Chapter one	
1.1	Introduction	1
1.2	Rational	4
1.3	Objectives	5
	Chapter two	
2	Literature Review	6
2.1	Schistosomiasis	6
2.1.1	Epidemiology of schistosomiasis	6
2.1.2	History of Discovery of schistosomiasis	7
2.1.3	Classification and Taxonomy of schistosomiasis	7
2.1.4	Transmission of schistosomiasis	8
2.1.5	Reservoir of schistosomiasis	8
2.1.6	Vector of schistosomiasis	8
2.1.8	Incubation Periods of schistosomiasis	9
2.1.9	Diagnostic Tests of schistosomiasis	9
2.1.10	Management and Therapy of schistosomiasis	10
2.2	Characteristics of blood	10
2.2.1	Erythropoiesis	11
2.2.2	Hemoglobin	11
2.2.3	The red blood cells	12
2.2.4	Granulopoiesis	12
2.2.5	Lymphatic tissues and immune response	15
2.2.6	Megakaryopoiesis	15
2.3	A complete blood count	16
2.3.1	Automated blood count	16
2.3.2	Manual blood count	17
2.4	The iron	18

2.4.1	Iron metabolism	18
2.5	Previous studies	21
	Chapter three	
3.1	Materials and methods	23
3.1.1	Study Design	23
3.1.2	Study area	23
3.1.3	Study population	23
3.1.4	Inclusion Criteria	23
3.1.5	Exclusion Criteria	24
3.1.6	Specimen	24
3.1.7	Data Analysis	24
3.1.8	Ethical Consideration:	24
3.2	Laboratory investigations	24
3.2.1	Urine examination	24
3.2.1.1	Macroscopically examination	24
3.2.1.2	Microscopic examination of urine allows a rapid preliminary	24
3.2.2	Blood examination	25
3.2.2.1	Mindray haematology CBC was down by using analyzer (Mindray bc- 3000)	25
3.2.2.2	Iron profile examinations	25
3.2.2.3	Spectrophotometric determination of iron	25
3.2.2.3.1	Materials	25
3.2.2.3.2.	Methods	26
	Chapter four	
4	Results	29
	Chapter five	
5.1	Discussion	32
5.2	Conclusion	33
5.3	Recommendations	34
	Chapter Six	
	References	35
	Appendix	40

List of tables

No of table	Title	Page No
(4-1)	Distribution sample size	30
(4-2)	Comparison between test group, control group and p.value of RBCs parameters	30
(4-3)	Comparison between test group, control group and p. value of WBCs parameters	31
(4-4)	Comparison between test group, control group and p.value of PLT parameters	31
(4-5)	Comparison between test group, control group and p.value of iron profile parameters	31